


ELEVATION VIEW



TOP VIEW

ISSUE DATE: FEBRUARY 2005

REVISIONS

CITY OF PFLUGERVILLE

DWG. # SD-47A

SD46B.DWG


STANDARD DUMPSTER ENCLOSURE



DATE	APPROVED	DRAWN

CONSTRUCTION STANDARDS AND DETAILS

SCALE: N.T.S.



NOTES:

- A. BINS SHALL BE LOCATED ON THE SIDE OR REAR OF THE BUILDING AND SCREENED FROM PUBLIC VIEW.
- B. BINS MUST BE LOCATED AT LEAST 50 FEET AWAY FROM RESIDENTIALLY-ZONED PROPERTY LINES.
- C. BINS LARGER THAN 90 GALLONS SHALL BE LOCATED ON A MINIMUM SIX-INCH REINFORCED SLAB, SLOPED TO DRAIN.
- D. BINS SHALL BE SCREENED ON FOUR SIDES, USING AN ENCLOSURE THAT SCREENS THE BINS FROM VIEW AT THE PROPERTY LINES, EXCEPT THAT SCREENING IS NOT REQUIRED FOR BINS WITH A CAPACITY OF LESS THAN OR EQUAL TO 90 GALLONS UNLESS MORE THAN TWO SUCH BINS ARE USED. SCREENING, WHERE REQUIRED, SHALL BE A MINIMUM OF SIX FEET (6') IN HEIGHT AND SHALL BE COMPRISED OF:
 - 1. ENCLOSURE MATERIALS SHALL INCLUDE ONE OR MORE OF THE FOLLOWING:
 - a. BRICK, STONE, REINFORCED CONCRETE, OR OTHER SIMILAR MASONRY MATERIALS; OR
 - b. REDWOOD, CEDAR, PRESERVATIVE PRESSURE-TREATED WOOD, OR OTHER SIMILAR MATERIALS.
 - 2. ALL FENCE POSTS SHALL BE RUST-PROTECTED METAL, CONCRETE-BASED MASONRY OR CONCRETE PILLARS; AND
 - 3. SIX INCH CONCRETE FILLED STEEL PIPES SHALL BE LOCATED TO PROTECT THE ENCLOSURE FROM TRUCK OPERATIONS.
 - 4. ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSION STRENGTH OF 3000 PSI.
- E. BIN ENCLOSURES SHALL HAVE STEEL FRAMED GATES WITH SPRING-LOADED HINGES OR THE EQUIVALENT AND FASTENERS TO KEEP THEM CLOSED. GATES ON THE ENCLOSURE SHALL BE HINGED ON THE OUTSIDE OF EACH CORNER POST TO ALLOW THE GATES TO SWING PAST 90 DEGREES (AT LEAST 110 DEGREES IS NECESSARY). WHEN IN USE, TIEBACKS SHALL BE USED TO SECURE THE STEEL FRAMED GATES IN THE OPEN POSITION.
- F. BIN SCREENING SHALL BE MAINTAINED BY THE OWNER AT ALL TIMES.

ISSUE DATE: FEBRUARY 2005		
REVISIONS		
DATE	APPROVED	DRAWN
SCALE: N.T.S.		

CITY OF PFLUGERVILLE

**STANDARD DUMPSTER ENCLOSURE
PLAN VIEW AND NOTES**

CONSTRUCTION STANDARDS AND DETAILS

DWG. # SD-47B
SD46B.DWG